

Fax: +91-44-28362528
E-Mail: nirt@icmr.org.in

Telephone: +91-4428369500/9651
Website: www.nirt.res.in



தேசிய காசநோய் ஆராய்ச்சி நிறுவனம்
राष्ट्रीय यक्ष्मा अनुसंधान संस्थान

NATIONAL INSTITUTE FOR RESEARCH IN TUBERCULOSIS
(Indian Council of Medical Research)
(Formerly Tuberculosis Research Centre)
Department of Health Research, Ministry of Health & Family Welfare
Government of India
No.1, Mayor Sathyamoorthy Road, Chetpet, Chennai 600031

Ref: No.P1/NIRT/VideoConferencing/2018-19

Date: 26.04.2018

ENQUIRY

Sealed Quotations are invited on behalf of the Director, National Institute for Research in Tuberculosis, ICMR, No.1, Mayor Sathyamoorthy Road, Chetpet, Chennai-31 from authorized suppliers/ distributors for supply and installation of **Video Conferencing Facility System** and the item is to be supplied at the **door step** of NIRT, Chennai.

Interested manufacturers/dealers should submit their offer along with their company/ personal profile.

Sl. No.	Description	Quantity
1.	Video Conferencing System as per the Specification (Attached)	1 No

TERMS & CONDITIONS

1. This is an enquiry and must not be treated as an order.
2. Sealed offers marked confidential and superscripted as Quotation for "**Video Conferencing System due on 17.05.2018 by 3.00 PM**" must be dropped in the quotation box kept at Administration (Stores) room/can be sent by post addressed to **The Administrative Officer (Stores), National Institute for Research in Tuberculosis, ICMR, No.1, Sathyamoorthy road, Chetpet, Chennai-31**. The Technical Bid will be opened on the same day at **3.30 PM** in the presence of the tenderers.
3. Late/delayed quotations and unsigned quotations will be summarily rejected and will not be considered under any circumstances.
4. No advance payment will be made. The payment will be made on receipt of services availed and satisfactory report of the end users.
5. NIRT, Chennai will not be responsible for any delay for late receipt of quotations.
6. Any decision taken by the Director, NIRT at any point of time in connection related to this process shall be final and conclusive and no claim or dispute from any quarter in this regard shall be entertained

7. Items should be supplied at Door Delivery. No extra payment on account of transportation, handling, loading, unloading, labour charges etc. will be made.
8. NIRT, Chennai does not bind itself to accept the lowest quotations and reserves the right to accept the quotation in part or full.
9. NIRT, Chennai reserves the right to accept or reject any or all quotations without assigning any reason.

To

RB 9/2
26/4/18

Yours faithfully,
26/4/18
ADMINISTRATIVE OFFICER (S) I/C

GROUP

Affordable video conferencing for mid to large-sized meeting rooms

- See every detail with HD video and 10x zoom
- Works with your meeting and video conferencing applications
- Crystal-clear audio for up to 20 participants

[SPECIFICATIONS](#) [DATA SHEET](#) [WAINHOUSE REVIEW](#)



Specification:

DIMENSIONS

Camera:

- Height x Width x Depth: 5.12 in (130 mm) x 7.0 in (170 mm) x 5.40 in (138 mm)
Weight: 1.31lb (585 g)

Speakerphone:

- Height x Width x Depth: 9.5 in (240 mm) x 2.5 in (65 mm) x 9.5 in (240 mm)
Weight: 2.68 lb (1223 g)

Hub:

- Height x Width x Depth: 3.75 in (94 mm) x 1.3 in (34 mm) x 2.9 in (74 mm)
Weight: 3.0 oz (83 g)

Remote:

- Height x Width x Depth: 2.0 in (50 mm) x 5.0 in (120 mm) x 0.5 in (12 mm)
Weight: 2.0 oz (51 g)

Wall/Table Mount:

- Height x Width x Depth: 8.27 in (210 mm) x 4.72 in (120 mm) x 3.9 in (99 mm)
Weight: 8.99 oz (255 g)

Expansion Mics (Optional):

- Height x Width x Depth: 3.30 in (83 mm) x 3.30 in (83 mm) x 0.83 in (21 mm)
Weight: 8.0 oz (230 g)

2/3/18

SYSTEM REQUIREMENTS

Windows® 7, 8.1 or 10
macOS 10.10 or higher



• TECHNICAL SPECIFICATIONS

CAMERA

-
- Smooth motorized pan, tilt and zoom controlled from remote or console
- 260° pan
- 130° tilt
- 10x lossless HD zoom
- 90° field of view
- Full HD 1080p 30fps
- H.264 UVC 1.5 with Scalable Video Coding (SVC)
- Autofocus
- 5 camera presets
- Far-end control (PTZ) of ConferenceCam product (with supported services)
- Kensington security slot
- Video mute/unmute LED indicator
- Standard tripod thread

REMOTE CONTROL

-
- Camera, speakerphone, and call control
- 5 camera presets
- Docks on speakerphone
- IR 8.5 m/28-foot range
- CR2032 battery (included)

SPEAKERPHONE

-
- Full-duplex performance
- Acoustic echo cancellation
- Noise reduction technology
- Ultra-wideband audio
- Pairs with mobile devices via *Bluetooth* and NFC
- LCD for caller ID, call duration and other functional response
- LEDs for speakerphone streaming, mute, hold, and *Bluetooth*
- Tactile buttons for call answer/end, volume and mute, *Bluetooth*, and camera controls
- 5 camera presets for pan, tilt, and zoom settings
- Kensington security slot

9/5/21/14



MICROPHONES

-
- Pickup range: 6m / 20 ft
- Pickup range with expansion mics: 8.5 m / 28 ft
- Four omnidirectional, beamforming microphones
- Frequency response: 100Hz – 11KHz
- Sensitivity: -28dB +/-3dB
- Distortion: <5% from 200Hz

HUB / CABLES / POWER

-
- Central Hub connects and powers all components
- Under-table mounting adhesive included
- One cable to camera: 5 m / 16 ft
- One cable to speakerphone: 5 m / 16 ft
- Extended cables available (10 m and 15 m)
- One USB cable for connection to PC/Mac (2 m / 6.6 ft)
- AC Power adapter with regional plugs
- Power cable (3 m / 9.8 ft)

MOUNT

- Dual-purpose bracket works for both wall mounting and tabletop elevation

COMPATIBILITY AND INTEGRATIONS

-
- Plug-and-play USB connectivity
- Works with most any video conferencing application or meetings service
- Skype for Business certified
- Microsoft Cortana® certified
- Cisco Jabber® and WebEx compatible
- Enhanced integration with Logitech Collaboration Program (LCP) members, including BlueJeans, Broadsoft, LifeSize Cloud, Vidyo, and Zoom
-

PACKAGE CONTENTS

- Camera
- Speakerphone
- Remote control
- Two 5m / 16.4 ft cables for connection between speakerphone and hub and camera and hub
- One 2m / 6.6 ft meter cable between hub and PC
- Velcro for cable management
- Velcro for hub to table securing
- Powered hub

5/21/2018



- Power adapter with regional plugs and 3m / 9.8 ft cable
- Mount
- Documentation
- Warranty card


WARRANTY INFORMATION

2-Year Limited Hardware Warranty

PART NUMBER

PN: 960-001054

SAMSUNG 108cm (43) Full HD Smart TV M5570 Series 5
UA43M5570AU



Belkin F3Y021bt5M High Speed HDMI Cable with Ethernet - 5 meter – 1 NO

apple hdmi to firewire converter – 1 NO

CS
2/3/10