

Fax: +91 44 2836 2528
E-mail: directornirt@nirt.res.in

Telephone: +9144 28369500
Website: www.nirt.res.in



icmr
INDIAN COUNCIL OF
MEDICAL RESEARCH

NIRT
NATIONAL INSTITUTE FOR
RESEARCH IN TUBERCULOSIS



தேசிய காசநோய் ஆராய்ச்சி நிறுவனம்

राष्ट्रीय यक्ष्मा अनुसंधान संस्थान

ICMR-NATIONAL INSTITUTE FOR RESEARCH IN TUBERCULOSIS

Department of Health Research, Ministry of Health & Family Welfare, Government of India
#1, Sathyamoorthy Road, Chetpet, Chennai 600031

Ref: No. ENQ/Stores/P1/Negative Pressure/2019-20

Date: 21.11.2019

CORRIGENDUM

A tender was floated earlier in response to the Tender id: 2019_ICMR_516887_2 dated on 07.11.2019 for Negative pressure room for Department of Immunology and the detailed tender document was uploaded in the NIRT Website and CPPP Website. As a follow-up to the pre bid meeting held on 14.11.2019 with the representatives of the firms, the committee recommended to make the following changes in the tender documents

1. Exhaust of AHU should be 2 meters above rooftop
2. Pass box should be kept next to autoclave
3. 3 AC unit requested in the tender is removed
4. 30% extra power points need to be installed apart from requested power points for the equipment
5. To create one new additional exit door for BSL3 room
6. The work should be completed within 4 months after the award of PO and BSL3 facility commissioned within 1 month after the completion of the work
7. Entire BSL3 system should be provided with 2 years warranty and 3 years comprehensive annual maintenance contract.


21/11/19
ADMINISTRATIVE OFFICER